

1. (Currently amended) A gel mass composition comprising
 - a) a film-forming, water-soluble polymer,
 - b) an acid-insoluble polymer; and
 - c) an alkaline aqueous solvent; and, optionally,
 - d) at least one plasticizer; and, optionally,
 - e) a coloring agent;wherein the final pH of the gel mass is less than or equal to about 9 pH units, and wherein the ratio of acid-insoluble polymer to film-forming polymer is from about 30:70 to about 45:55 by weight.
2. (Original) The gel mass composition of claim 1, wherein the film-forming, water-soluble polymer is proteinaeous.
3. (Original) The gel mass composition of claim 2, wherein the proteinaeous film-forming, water-soluble polymer is gelatin.
4. (Original) The gel mass composition of claim 3, wherein the gelatin is extracted from animal bones or skins, and has about 100 to about 250 blooms.
5. (Original) The gel mass composition of claim 1, wherein the film-forming, water-soluble polymer is a carbohydrate.
6. (Original) The gel mass composition of claim 5, wherein the carbohydrate is selected from the group consisting of hydroxypropyl methylcellulose and methyl cellulose.
7. (Currently amended) The gel mass composition of claim 1, wherein the ~~film-forming, water-soluble~~ acid insoluble polymer is selected from the group consisting of acrylic and methacrylic acid copolymers, cellulose acetate esters such as phthalate, butyrate, hydroxypropyl methyl cellulose phthalate, and salts thereof.

8. (Original) The gel mass composition of claim 1, further comprising at least one plasticizer selected from the group consisting of sorbitol, glycerol, polyethylene glycol, poly-alcohols with 3 to 6 carbon atoms, citric acid, citric acid esters, triethyl citrate, and combinations thereof.
9. (Original) The gel mass composition of claim 1, wherein the alkaline aqueous solution comprises an alkali selected from the group consisting of ammonia, sodium hydroxide, potassium hydroxide, ethylenediamine, hydroxylamine, and tri-ethanolamine.
10. (Original) The gel mass composition of claim 1, wherein the alkaline aqueous solution comprises a volatile alkali.
11. (Original) The gel mass composition of claim 10, wherein the volatile alkali is selected from the group consisting of ammonia and ethylenediamine.
12. (Original) The gel mass composition of claim 1, wherein the alkaline aqueous solution is a hydroalcoholic solution.
13. (Original) The gel mass composition of claim 1, where the final pH of the gel mass is less than or equal to about 8.5.
14. (Original) The gel mass composition of claim 1, wherein the gel mass composition is capable of producing an enteric soft capsule shell having a moisture content of from about 2% to about 10%.
15. (Original) The gel mass composition of claim 14, wherein the moisture content is from about 4% to about 8%.
16. (Original) The gel mass composition of claim 14, wherein the moisture content is about 8%.

17. (Cancelled).
18. (Original) The gel mass composition of claim 1, comprising a plasticizer, wherein the ratio of plasticizer to film-forming, water-soluble polymer is from about 1:9 to about 1:1 by weight.
19. (Original) The gel mass composition of claim 18, wherein the ratio of plasticizer to film-forming, water-soluble polymer is about 1:3 by weight.
20. (Currently amended) An enteric soft capsule shell formed from a gel mass composition comprising
- a) a film-forming, water-soluble polymer,
 - b) an acid-insoluble polymer; and
 - c) an alkaline aqueous solvent;
- wherein the ratio of acid-insoluble polymer to film-former polymer is from about ~~20:80~~ 30:70 to about 45:55 by weight; the final pH of the gel mass is less than or equal to about 9 pH units; and the moisture content of the enteric soft capsule shell formed from the gel mass composition is from about 2% to about 10%.
- 21 – 23. (Cancelled).